



Countertop liquid soap dispenser with laser activation. Powered by electricity only. Glossy finish

Description

- Automatic liquid soap dispenser for countertops in shiny chrome-plated brass.
- Suitable for areas with high frequency of use and high hygiene requirements.
- Model for mounting on sink or countertop.
- Opens via laser sensor.
- Powered by electricity.
- Robust, vandal-proof construction in shiny chrome-plated brass.
- Supplied with mounting hardware and accessories.
- Suitable for liquid soap or hand sanitizer (7.5%).

Suggested text for prescription

NOFER 03312.220.B automatic soap dispenser for countertop installation, activated by a laser sensor incorporated in the dispenser. The dispenser is powered by 220V 50/60 Hz. The body is made of chrome-plated cast brass in accordance with EN248 standard. Includes all accessories for installation. Dimensions: 150 mm high x 34 mm wide x 116 mm deep.

Components

- Plastic components in POM and ABS - Activation by laser sensor - Adjustable maximum operating time - CE. Complies with the European Directives on Electrical Safety 2014/35/EU, Electromagnetic Compatibility EMC 2014/30/EU and Construction Products 305/2011UE according to EN817:2008 and EN 15091:2013.

Operation

Place your hands under the dispenser. The dispenser is automatically activated and remains in operation as long as the hands are within the sensor field. Adjustable maximum operating time.


Technical characteristics

Material: Brass body CW617N
Finishing: chrome
Voltage/Frequency: AC 220V - 50/60Hz / DC6V
Capacity: 1500 mL. Refillable. Optional 3200 ml
Operation: Activation by laser sensor
Sensor detection range: from 5 to 23 cm
Standard soap discharge: 1 mL, adjustable
Soap viscosity: 100-3800 cPs
Dimensions: 150 high x 34 wide x 116 deep (mm)
Consumption in standby: <2 mA

Maintenance

Use pH-neutral soap and water for cleaning, then dry with a clean cloth. When cleaning the bathroom with aggressive products, the soap dispenser should be protected from splashes.

Dimensional drawing





Ctra. Laureà Miró, 385-387
08980 | Sant Feliu de Llobregat,
Barcelona - Spain
T. +34 934 742 423
F. +34 934 743 548
nofer@nofer.com
www.nofer.com

RELATED
PRODUCTS



03312.220.CU



03312.220.G



03312.220.N

These specifications may be modified and/or amended due to manufacturing requirements.